










DAFA PROFILES

- standard product line



Profiles

<p>15-287</p>  <p>EPDM</p>	<p>15-422</p>  <p>EPDM</p>	<p>101P180E</p>  <p>EPDM</p>
<p>101P229</p>  <p>EPDM</p>	<p>15-576 A</p>  <p>EPDM</p>	<p>15-810</p>  <p>EPDM</p>
<p>16-744</p>  <p>EPDM</p>	<p>15-856</p>  <p>EPDM</p>	<p>16-607</p>  <p>EPDM</p>

DAFA PROFILES

- standard product line



Profiles

<p>620002455</p> <p>Cellular EPDM</p>	<p>15-68515</p> <p>Cellular EPDM</p>	<p>16-910</p> <p>Cellular EPDM</p>
<p>101P052</p> <p>Sponge EPDM</p>	<p>321109555</p> <p>Cellular EPDM</p>	<p>DX856</p> <p>PVC</p>
<p>DX0816</p> <p>PVC</p>	<p>DX0869</p> <p>PVC</p>	<p>100P158</p> <p>PVC</p>

DAFA PROFILES

- standard product line




Profiles










<p>311864452</p> <p>20</p> <p>4,5</p> <p>EPDM 20 mm</p>	<p>321200006 Rundsnor</p> <p>Ø8 mm</p> <p>ø6 - ø8</p>	<p>101P269</p> <p>4</p> <p>88</p> <p>EPDM</p>
<p>101P268</p> <p>4</p> <p>58</p> <p>EPDM</p>	<p>101P267</p> <p>4</p> <p>28</p> <p>EPDM</p>	<p>DX1384</p> <p>17</p> <p>8</p> <p>PVC</p>
<p>100P060</p> <p>10</p> <p>12</p> <p>Adhesive</p> <p>Cellular EPDM</p>		


DAFA PROFILES

- standard product line












Edge protection profiles

<p>15-623</p>  <p>EPDM Clamping Range: 3 - 5 mm</p>	<p>1236807</p>  <p>DAFA Combi P Clamping Range: 4 - 7 mm</p>	<p>1237062</p>  <p>DAFA Combi P Clamping Range: 4 - 7 mm</p>
<p>1237061</p>  <p>DAFA Combi P Clamping Range: 4 - 7 mm</p>	<p>101P226</p>  <p>PVC Clamping Range: 16 - 20 mm</p>	<p>15-607</p>  <p>EPDM Clamping Range: 5 - 6 mm</p>
<p>15-605</p>  <p>EPDM Clamping Range: 2,5 - 3 mm</p>	<p>1235563</p>  <p>EPDM Clamping Range: 8 mm</p>	<p>1235577</p>  <p>EPDM Clamping Range: 5-6 mm</p>




Edge protection profiles







<p>100P998</p>  <p>EPDM Clamping Range: 1,5 - 2,5 mm</p>	<p>15-602</p>  <p>PVC Clamping Range: 2 - 4 mm</p>	<p>15-600</p>  <p>PVC Clamping Range: 1 - 2 mm</p>
<p>15-606</p>  <p>EPDM Clamping Range: 3 - 4 mm</p>	<p>1235563</p>  <p>EPDM Clamping Range: 8 mm</p>	<p>1235618</p>  <p>EPDM Clamping Range: 1,5 - 2,5 mm</p>
<p>1235616</p>  <p>Cellular rubber</p> <p>EPDM Clamping Range: 6 - 9 mm</p>	<p>15-624</p>  <p>EPDM Clamping Range: 3 - 6 mm</p>	<p>15-621</p>  <p>EPDM Clamping Range: 1 - 3 mm</p>

DAFA PROFILES

- standard product line



Edge protection profiles

<p>101P157</p>  <p>PVC/EPDM Clamping Range: 4 - 6 mm</p>	<p>101P156</p>  <p>PVC/EPDM Clamping Range: 2 - 4 mm</p>	<p>15-625</p>  <p>EPDM Clamping Range: 1,5 - 2,5 mm</p>
<p>8916M</p>  <p>EPDM Clamping Range: 3 - 6 mm</p>	<p>15-604</p>  <p>EPDM Clamping Range: 1 - 3 mm</p>	<p>15-603_1</p>  <p>EPDM Clamping Range: 1,5 - 3 mm</p>





The invisible lines that make wonders happen

At DAFA we are experts in specialized products and total solutions that seal, absorb and protect.

With uncompromising product quality, constant innovation and close collaboration with customers we contribute to successful projects in industries where attention to detail is the difference between success and failure.

Our experience covers three quarters of a century, and our solutions are at work all over the world. Our global supply chain means that we deliver to any location efficiently and at competitive prices



* Applies to: DAFA A/S, DAFA Sverige AB, DAFA Deutschland GmbH, DAFA Sealing Technology (Tianjin) Co., Ltd., DAFA US Inc., DAFA Polska sp. z o.o.

** Applies to: DAFA A/S



dafa-group.com

Denmark · Sweden · Germany · China · US · Norway · Poland · Italy